according to Regulation (EC) No 1907/2006



# **THD200**

SUBID: 000001011961 Version 1 Print Date 23.06.2012

Revision Date 20.10.2011

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

# Identification of the substance/preparation

Product name THD200

Use of the Offset plate developer solution

Substance/Preparation

## Company/Undertaking Identification

Agfa-Gevaert Ltd. Vantage West **Great West Road** 

Brentford, Middlesex TW8 9AX

United Kingdom

Tel.: +44 (0)20 8 231 4616 Fax: +44 (0)20 8 231 4951

Person responsible for the safety data sheet: Jos Vanholzaets

E-mail: electronic.sds@agfa.com

Emergency telephone number (Belgium): +32 3 4443333 (24h/24h)

### 2. HAZARDS IDENTIFICATION

Irritant effect on eyes, skin and respiratory system.

**EC-classification:** 

Symbol(s) Χi

R36/38 R-phrase(s) Irritating to eyes and skin.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

The hazard and labelling information in this section is that of the individual ingredients. The corresponding information relative to this product as supplied is given in section 15. Full text of each relevant R-phrase is listed in section 16.

Aqueous offset plate developer solution, mainly consisting of:

## **Hazardous components**

 Disodium metasilicate Concentration [%]: 1.0 -5.0

CAS-No. 6834-92-0 Index-No. : 014-010-00-8 EINECS-No. : 229-912-9

Symbol(s)

R-phrase(s) : R34, R37

Sodium octanoate Concentration [%]: 1.0 -5.0

CAS-No. 1984-06-1 EINECS-No. 217-850-5

Symbol(s)

R-phrase(s)

# 4. FIRST AID MEASURES

Eye contact : Rinse thoroughly with plenty of water for at least 15 minutes

GB 1/5 ΕN

according to Regulation (EC) No 1907/2006



# **THD200**

Version 1 SUBID : 000001011961

Print Date 23.06.2012

Revision Date 20.10.2011

and consult a physician.

Skin contact : Wash immediately with plenty of water and soap. If symptoms

persist, seek medical advice.

Ingestion : Rinse mouth with plenty of water. Seek medical advice. Inhalation : Take person to fresh air. If necessary, seek medical advice.

### 5. FIRE-FIGHTING MEASURES

Further information : Product is not combustible.

### **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions : See section : Exposure controls / personel protection.

Environmental precautions : For waste disposal see section 13.

Methods for cleaning up : Dike the spill if necessary. Soak up with absorbent material.

Collect large spills into a properly labelled and sealable container. Prevent release into the drain, soil or surface water.

Additional advice : Wash away residues with plenty of water.

#### 7. HANDLING AND STORAGE

### Handling

Advice on protection against

fire and explosion

No special protective measures against fire and explosion

required.

## Storage

Requirements for storage

areas and containers

Advice on common storage

: Keep container tightly closed. Protect from direct sunlight.

: Store away from strong acids.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### **Exposure controls**

Engineering measures : Ventilation should be sufficient so that any applicable

occupational exposure limits are not exceeded.

Hygiene measures : Observe normal precautions when handling chemicals. Keep

away from foodstuffs, drinks and tobacco.

Hand protection : Use chemical resistant gloves. In case of prolonged immersion

or frequently repeated contact use gloves made of the materials: butyl rubber (thickness >= 0.36 mm, breakthrough time > 480 min), nitrile rubber (thickness >= 0.38 mm,

breakthrough time > 480 min) or neoprene (thickness >= 0.65 mm, breakthrough time > 240 min). For intermittent splash protection corresponding gloves with breakthrough times > 60

min can be used. Avoid gloves made of: natural latex.

Eye protection : Safety glasses.

GB 2/5 EN

according to Regulation (EC) No 1907/2006



# **THD200**

Version 1 SUBID : 000001011961

Print Date 23.06.2012

Revision Date 20.10.2011

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### **General Information**

Form : Liquid.
Colour : Colourless.
Odour : Odourless.

### Important Health Safety and Environmental Information

Relative density : 1.064

Solubility/qualitative : Miscible with water at all ratios.

pH (25 °C) : > 13Melting point/range : < 0 °C Boiling point/range : > 100 °C

#### 10. STABILITY AND REACTIVITY

Stability : The product is stable under normal conditions of storage and

use

Conditions and materials to

avoid

: Avoid generating airborne dust. Remove all chemicals and rinse

the processing tanks thoroughly with water before using any

cleansing products.

Hazardous decomposition

products

: None

## 11. TOXICOLOGICAL INFORMATION

Irritating to eyes and skin.

Toxicity data specific for individual ingredients in their pure state:

### **Acute oral toxicity**

Disodium metasilicate : LD50 rat 1,153 mg/kg
 Sodium octanoate : LD50 rat 2,000 mg/kg

#### Other information

Hazard labelling of this preparation or substance : see section 15.

### 12. ECOLOGICAL INFORMATION

### **Ecotoxicity effects**

Ecotoxicity data specific for individual ingredients in their pure state:

Toxicity to fish

• Sodium octanoate : Species: Brachidanio rerio (zebra fish)

LC50: 110 mg/l/ 96 h

Toxicity to daphnia

• Sodium octanoate : Species: Daphnia magna (water flea)

EC50: 170 mg/l/ 24 h

Toxicity to algae

GB 3/5 EN

according to Regulation (EC) No 1907/2006



# **THD200**

Version 1 SUBID : 000001011961
Print Date 23.06.2012

Revision Date 20.10.2011

• Sodium octanoate : Species: Selenastrum capricornutum (algae)

EC50: 144 mg/l/ 72 h

This preparation does not contain any ingredient that is classified as hazardous to the environment according to European Directives and corresponding national legislation.

#### 13. DISPOSAL CONSIDERATIONS

## Waste disposal methods

Environmental regulations, discharge of chemicals and washwater, waste treatment and disposal conditions of chemicals and their packaging may vary from one country to another. The relevant local regulations should be consulted. May be discharged to drain if local regulations permit. When this product or its contaminated packaging has to be removed as waste, contact an authorized waste contractor.

For waste resulting from this product, it is recommended to use European Waste Code: 09 01 02 (water-based offset plate developer solutions).

#### 14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

## 15. REGULATORY INFORMATION

### Labelling according to EC Directives

Symbol(s) : Xi Irritant

R-phrase(s) : R36/38 Irritating to eyes and skin.

S-phrase(s) : S26 In case of contact with eyes, rinse immediately with

plenty of water and seek medical advice.

S37/39 Wear suitable gloves and eye/face protection.

S60 This material and its container must be disposed of as

hazardous waste.

#### 16. OTHER INFORMATION

Section(s) changed compared to the previous issue: 3

#### **Further information**

Text of R-phrases referred to under headings 2 and 3:

R34 Causes burns.

R36/38 Irritating to eyes and skin.
R37 Irritating to respiratory system.

This Safety Data Sheet is compiled in accordance with European Directives and corresponding national legislation.

The information disclosed in this Safety Data Sheet is believed to be correct to the best of our current knowledge and experience. It only relates to the specific product designated herein and it may not be valid when said product is used in combination with any other material or in any process, unless specified in the text. This document aims to provide the necessary health and safety

according to Regulation (EC) No 1907/2006



**THD200** 

**SUBID** : 000001011961 Print Date 23.06.2012

Version 1 Revision Date 20.10.2011

information of the product and is not to be considered a warranty or quality specification. It is the responsibility of the user to comply with local legislation relating to safety, health, environment and waste management.