according to Regulation (EC) No 1907/2006

AGFA 🐠

Energy Elite Developer

Version 2

Revision Date 17.07.2008

SUBID: 000000012473

Print Date 04.05.2010

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the substance/preparation

Product name

: Energy Elite Developer

Use of the

: Offset plate developer solution

Substance/Preparation

Company/Undertaking Identification

Agfa-Gevaert Ltd. Vantage West Great West Road

Brentford, Middlesex TW8 9AX

United Kingdom

Tel.: +44 (0)20 8 231 4616 Fax: +44 (0)20 8 231 4951

Person responsible for the safety data sheet: Jos Vanholzaets

E-mail: electronic.sds@agfa.com

Emergency telephone number (Belgium): +32 3 4443333 (24h/24h)

2. HAZARDS IDENTIFICATION

Irritant effect on eyes, skin and respiratory system.

EC-classification:

Symbol(s)

Xi

R-phrase(s)

: R36/38

Irritating to eyes and skin.

3. COMPOSITION/INFORMATION ON INGREDIENTS

The hazard and labelling information in this section is that of the individual ingredients. The corresponding information relative to this product as supplied is given in section 15. Full text of each relevant R-phrase is listed in section 16.

Aqueous offset plate developer solution, mainly consisting of:

Hazardous components

GB	1/5				EN
R-phrase(s)	: R35				
Symbol(s)	: C				
EINECS-No.	: 215-185-5				
Index-No.	: 011-002-00-6				
CAS-No.	: 1310-73-2				
 Sodium hydroxide 		Concentration [%]:	0.1	-	0.5
R-phrase(s)	: R36/38				
Symbol(s)	; Xi				
EINECS-No.	: 217-850-5				
CAS-No.	: 1984-06-1				
 Sodium octanoate 		Concentration [%] :	1.0	-	5.0
R-phrase(s)	: R34, R37				
Symbol(s)	: C				
EINECS-No.	: 229-912-9				
Index-No.	: 014-010-00-8				
CAS-No.	6834-92-0				
 Disodium metasilicate 		Concentration [%] :	5.0	_	10.0

according to Regulation (EC) No 1907/2006



Energy Elite Developer

Version 2 Revision Date 17.07.2008 SUBID: 000000012473

Print Date 04.05.2010

4. FIRST AID MEASURES

Eye contact : Rinse thoroughly with plenty of water for at least 15 minutes

and consult a physician.

Skin contact : Wash immediately with plenty of water and soap. If symptoms

persist, seek medical advice.

Ingestion : Rinse mouth with plenty of water. Seek medical advice.

Inhalation : Take person to fresh air. If necessary, seek medical advice.

5. FIRE-FIGHTING MEASURES

Further information : Product is not combustible.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : See section : Exposure controls / personel protection.

Environmental precautions : For waste disposal see section 13.

Methods for cleaning up : Dike the spill if necessary. Soak up with absorbent material.

Collect large spills into a properly labelled and sealable

container. Prevent release into the drain, soil or surface water.

Additional advice : Wash away residues with plenty of water.

7. HANDLING AND STORAGE

Handling

Advice on protection against

fire and explosion

: No special protective measures against fire and explosion

required.

Storage

Requirements for storage

areas and containers

Advice on common storage : Store away from strong acids.

: Keep container tightly closed. Protect from direct sunlight.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limit Values

Components	CAS-No.	Values	Туре	Revision Date	Basis
Sodium hydroxide	1310-73-2	2 mg/m3	STEL	2005	EH40 WEL

Exposure controls

Engineering measures : Ventilation should be sufficient so that any applicable

occupational exposure limits are not exceeded.

Hygiene measures : Observe normal precautions when handling chemicals. Keep

away from foodstuffs, drinks and tobacco.

Hand protection : Use chemical resistant gloves. In case of prolonged immersion

or frequently repeated contact use gloves made of the

GB 2/5 EN

according to Regulation (EC) No 1907/2006

AGFA 💠

Energy Elite Developer

Version 2

Revision Date 17.07.2008

SUBID: 000000012473

Print Date 04.05.2010

materials: butyl rubber (thickness >= 0.36 mm, breakthrough time > 480 min), nitrile rubber (thickness >= 0.38 mm,

breakthrough time > 480 min) or neoprene (thickness >= 0.65 mm, breakthrough time > 240 min). For intermittent splash protection corresponding gloves with breakthrough times > 60

min can be used. Avoid gloves made of: natural latex.

Eye protection : Safety glasses.

9. PHYSICAL AND CHEMICAL PROPERTIES

General Information

Form : Liquid.
Colour : Colourless.
Odour : Odourless.

Important Health Safety and Environmental Information

Relative density : 1.070

Solubility/qualitative : Miscible with water at all ratios.

pH (25 °C) : 13.3

Melting point/range : < 0 °C

Boiling point/range : > 100 °C

10. STABILITY AND REACTIVITY

Stability : The product is stable under normal conditions of storage and

use.

Conditions and materials to

avoid

: Avoid generating airborne dust. Remove all chemicals and rinse

the processing tanks thoroughly with water before using any

cleansing products.

Hazardous decomposition

products

: None

11. TOXICOLOGICAL INFORMATION

Irritating to eyes and skin.

Toxicity data specific for individual ingredients in their pure state:

Acute oral toxicity

Disodium metasilicate : LD50 rat 1,153 mg/kg
 Sodium octanoate : LD50 rat 2,000 mg/kg
 Sodium hydroxide : LDL0 rabbit 500 mg/kg

Other information

Hazard labelling of this preparation or substance : see section 15.

12. ECOLOGICAL INFORMATION

Ecotoxicity effects

Ecotoxicity data specific for individual ingredients in their pure state:

Toxicity to fish

GB 3/5 EN

according to Regulation (EC) No 1907/2006

AGFA 🚭

Energy Elite Developer

Version 2 Revision Date 17.07.2008 SUBID: 000000012473

Print Date 04.05.2010

: Species: Brachidanio rerio (zebra fish) Sodium octanoate

LC50: 110 mg/l/ 96 h

 Sodium hydroxide : Species: Leuciscus idus (golden orfe)

LC50: > 133 mg/l/ 48 h

Toxicity to daphnia

: Species: Daphnia magna (water flea) Sodium octanoate

EC50: 170 mg/l/ 24 h

 Sodium hydroxide : Species: Daphnia magna (water flea)

EC50: > 100 mg/l/ 48 h

Toxicity to algae

 Sodium octanoate Species: Selenastrum capricornutum (algae)

EC50: 144 mg/l/ 72 h

Further information on ecology

Biochemical oxygen demand : 29,600 mg/l

within 5 days (BOD5)

Chemical Oxygen Demand

: 55,600 mg/l

(COD)

This preparation does not contain any ingredient that is classified as hazardous to the environment according to European Directives and corresponding national legislation.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods

Environmental regulations, discharge of chemicals and washwater, waste treatment and disposal conditions of chemicals and their packaging may vary from one country to another. The relevant local regulations should be consulted. May be discharged to drain if local regulations permit. When this product or its contaminated packaging has to be removed as waste, contact an authorized

For waste resulting from this product, it is recommended to use European Waste Code: 09 01 02 (water-based offset plate developer solutions).

14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY INFORMATION

Labelling according to EC Directives

Symbol(s)

Irritant

R-phrase(s)

R36/38

Irritating to eyes and skin.

S-phrase(s) S26

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S37 Wear suitable gloves.

GB

4/5

EN

according to Regulation (EC) No 1907/2006



Energy Elite Developer

Version 2

Revision Date 17.07.2008

SUBID: 000000012473

Print Date 04.05.2010

16. OTHER INFORMATION

Further information

Text of R-phrases referred to under headings 2 and 3:

R34

Causes burns.

R35

Causes severe burns.

R36/38

Irritating to eyes and skin.

R37

Irritating to respiratory system.

This Safety Data Sheet is compiled in accordance with European Directives and corresponding national legislation.

The information disclosed in this Safety Data Sheet is believed to be correct to the best of our current knowledge and experience. It only relates to the specific product designated herein and it may not be valid when said product is used in combination with any other material or in any process, unless specified in the text. This document aims to provide the necessary health and safety information of the product and is not to be considered a warranty or quality specification. It is the responsibility of the user to comply with local legislation relating to safety, health, environment and waste management.